

# **भारत का राजपत्र** **The Gazette of India**

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उपखण्ड (ii)

PART II—Section 3—Sub-section (ii)

साधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० १२८] नई दिल्ली, सोमवार, मार्च १३, १९६७/फाल्गुन २२, १९६६  
 No. 128] NEW DELHI, MONDAY, MARCH 13, 1967/PHALGUNA 22, 1966

इस भाग में निम्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed as a separate compilation.

## MINISTRY OF COMMERCE NOTIFICATIONS

New Delhi, the 13th March 1967

S.O. 847.—In exercise of the powers conferred by section 6 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), and after previous publication as required by rule 11 of the Export (Quality Control and Inspection) Rules, 1964, the Central Government hereby—

- (1) notifies that the rubber beltings mentioned in Annexure I to this notification shall be subject to inspection prior to export;
- (2) specifies the type of inspection in accordance with the Export of Rubber Beltings (Inspection) Rules, 1966, as the type of inspection which would be applied to such rubber beltings;
- (3) recognises—(a) the specifications as declared by the exporter to be the agreed specifications of the export contract for rubber beltings. (b) in the absence of any specification as mentioned in item (a), the specifications for rubber beltings as specified in Annexure II to this notification, as the standard specifications for rubber beltings;
- (4) prohibits the export, in the course of international trade, of any of the aforesaid rubber beltings unless the same is accompanied by a certificate issued by an Agency recognised by the Central Government under section 7 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), to the effect that the rubber beltings are export-worthy.

2. Nothing in this notification shall apply to the export by land, sea or air of samples of rubber beltings to prospective buyers.

3. In this notification, "rubber beltings" shall mean beltings of either category specified in Annexure I to this notification made from woven canvas impregnated with rubber compound with or without rubber cover, the whole being vulcanized together in a uniform manner, and used for the purpose of conveying materials or power transmission.

4. This notification shall come into force on the 15th May, 1967.

## ANNEXURE I

1. Rubber and fabric conveyor and elevator belting.
2. Rubber transmission belting.

## ANNEXURE II

A. Specification for rubber and fabric conveyor and elevator belting.

1 **Construction.**—The belting shall be made from woven canvas impregnated with rubber compound with rubber cover, the whole being vulcanized together in a uniform manner.

2. *Requirements.*—The belting shall conform to the requirements specified below:

2.1. Dimensions and Tolerances.—The dimensions of the belting shall be as specified by the purchaser subject to the following tolerances.

**2·T·I Length :—**(a) For belts delivered in the endless state and mounted in that way . . . . . ±0·5 Per cent  
 "(b) For open belts . . . . . + 2·0 per cent  
   – 0·5 per cent

2.1.2 Width\*:—  $\pm 1$  Percent subject to a minimum of  $\pm 5$  mm.

2.2. Strength of rubber cover.—The rubber used for covers of the belting shall have the tensile strength and elongation at break not less than 1.1 kgf/mm<sup>2</sup> and 350 per cent, respectively.

2.3. Ageing.—After ageing for 168 hours at  $70^{\circ} \pm 1^{\circ}\text{C}$  the tensile strength and elongation at break shall not vary by more than  $\pm 25$  per cent from the original values obtained.

2.4. Adhesion.—The adhesion between the individual plies and between the cover and the plies shall be such that when tested under the following loads the rate of separation shall in no case be greater than 25 mm per minute.

(a) Ply to ply 6.8 kgf.

(b) Cover to ply:

(i) Covers 1 mm thick

No test

(ii) Covers over 1 mm upto and including 1.5 mm.

5.0 kgf

(iii) Covers over 1.5 mm thick

5.4 kcf

2.5. Strength of fabric.—The average breaking strength of the fabric of the finished belting shall be not less than 6.25 kgf per mm width for wrap and 3 kgf per mm. width for weft.

2.6. Elongation of fabric.—The average elongation of the fabric of the finished belting shall be not less than 4 per cent and not more than 10 per cent when subjected to a load, per 25 mm. of width per ply, of 45 kgf.

### B. Specification for rubber transmission belting

1. *Construction.*—The belting shall consist of plies of woven cotton canvas impregnated with a rubber compound and vulcanized together in a uniform manner.

2. *Requirements.*—The belting shall conform to the requirements specified below:—

2.1. Dimensions and Tolerances.—The dimensions of the belting shall be as specified by the purchaser subject to the following tolerances—

**2.1.1 Length :—**(a) For belts delivered in the endless state and mounted in that way . . . . . ±0·5 per cent  
(b) For open belts . . . . . +2·0 per cent  
  -0·5 per cent

2.1.2 Width : <i>Width of the belt</i>	<i>Tolerance</i>
Up to 63 mm. . . . .	± 2mm.
Over 63 and up to and including 125 mm . . . . .	± 3mm
Over 125 and up to and including 250 mm . . . . .	± 4mm.
Over 250 mm. . . . .	± 5mm.

2.2. Adhesion.—The adhesion between the plies shall be such that the rate of separation shall be in no case greater than 25 mm. per minute under a load of 11 kgf.

2.3. Tensile strength.—The average tensile strength of the fabric of the finished belting shall be not less than 6.25 kgf. per mm. width for wrap and 3 kgf per mm. width for weft.

2.4. Elongation of fabric.—The average elongation of the fabric of the finished belting shall be not less than 4 per cent and not more than 8 per cent under a load of 1.8 kgf. per mm. width per ply.

[No. 60(133)Exp.Insp/65.]

**S.O. 848.**—In exercise of the powers conferred by section 17 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), the Central Government hereby makes the following rules, namely:—

1. **Short title and commencement.**—(1) These rules may be called the Export of Rubber Belting (Inspection) Rules, 1966.

(2) They shall come into force on the 15th May, 1967.

2. **Definition.**—In these rules “rubber beltings” mean any of the beltings mentioned in Schedule to these rules, made from woven canvas impregnated with rubber compound with or without rubber cover, the whole being vulcanized together in a uniform manner, and used for the purpose of conveying materials or power transmission.

3. **Basis of inspection.**—Inspection of rubber beltings for export shall be carried out with a view to seeing that rubber beltings conform to the standard specifications recognised by the Central Government under section 6 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963).

4. **Procedure of inspection.**—(1) An exporter intending to export rubber beltings shall give intimation in writing of his intention so to do and submit along with such intimation a declaration of the specification stipulated in the contract relating to such export, to any one of the inspection agencies (hereinafter referred to as the Agency) recognised under section 7 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), to enable it to carry out the inspection in accordance with rule 3.

(2) In case the specifications stipulated in the export contract are shown in the form of a sample approved by the buyer, the exporter shall submit accordingly a declaration along with the approved sample and its characteristics to the Agency.

(3) Every intimation and declaration under sub-rule (1) or the sample declared under sub-rule (2) shall be given not less than fifteen days before the expected date of shipment.

(4) On receipt of the intimation and declaration under sub-rule (3), the Agency shall inspect the consignment of rubber beltings with a view to seeing that the same conforms to the specifications recognised under section 6 of the Export (Quality Control and Inspection) Act, 1963 or the approved sample, as the case may be.

(5) If, after inspection, the Agency is satisfied that the consignment of rubber beltings to be exported complies with the requirements of rule 3, it shall, within fifteen days of the receipt of the intimation and declaration under sub-rule (3), issue a certificate to the exporter declaring the consignment to be export-worthy.

5. **Place of inspection.**—Every inspection under these rules shall be carried out either—

(a) at the premises of the manufacturer of such products, or

(b) at the premises at which the goods are offered by the exporter provided adequate facilities for the purpose exist therein.

6. **Inspection fee.**—Subject to a minimum of Rs. 50 for each consignment, a fee at the rate of twenty paise for every one hundred rupees of f.o.b. value of each such consignment shall be paid as inspection fee under these rules.

7. **Appeal.**—(1) Any person aggrieved by the refusal of the Agency to issue a certificate under sub-rule (3) of rule 4 may, within ten days of receipt of communication of such refusal by him, prefer an appeal to a panel of experts consisting of not less than three persons appointed for the purpose by the Central Government.

(2) The decision of the panel on such appeal shall be final.

#### THE SCHEDULE

(See rule 2)

1. Rubber and fabric conveyor and elevator belting.
2. Rubber transmission belting.

[No. 60(133)Exp.Insp/65.]

S.O. 849.—In exercise of the powers conferred by section 7 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), the Central Government hereby recognises the organisations mentioned in Schedule I, annexed hereto, as the agencies for the inspection of the rubber beltings specified in Schedule II, annexed hereto, prior to their export, subject to the conditions that every such organisations shall give adequate facilities to an officer of the Export Inspection Council, duly authorised by the Council, to examine the method of inspection followed by that organisation in granting the certificate under sub-rule (5) of rule 4 of the Export of Rubber Beltings (Inspection) Rules, 1966.

#### SCHEDULE I

1. Italeb Private Ltd., ]  
Mehar House,  
15, Cawasji Patel Street,  
Bombay-1.
2. Superintendence Co. of India (Private) Ltd.,  
31/32/33, C.I.T. Road, Entally,  
Calcutta-14.
3. Therapeutics Chemical Research Corporation,  
95, Morland Road, Byculla,  
Bombay-8.
4. Inspection & Testing Co. (India) Private Ltd.,  
P-1, Hyde Lane,  
Calcutta-12.
5. Essen & Company,  
550, Eighth Main Road,  
(Opp. St. Peter's Seminary),  
Bangalore-12.
6. Mitra S. K. Private Ltd.,  
P-11, C.I.T., Road (Scheme LV), 2nd floor,  
Calcutta-14.
7. R. V. Briggs & Co. (Private) Ltd.,  
9, Bentinck Street,  
Calcutta-1.
8. General Superintendence Co. (India) Private Ltd.,  
'Sorab Mansion',  
35, Murzban Road, ]  
P. O. Box No. 508,  
Bombay-1.
9. Eskaps (India) Private Ltd.,  
30, Chowringhee Road,  
Calcutta-16.
10. Export Inspection Agency,  
14/1B, Ezra Street, 7th floor,  
Calcutta-1.

11. Export Inspection Agency,  
81, Queens Road, 1st floor,  
Bombay-2.
12. Export Inspection Agency,  
123, Mount Road, 1  
Madras-6.
13. Export Inspection Agency,  
Udyog Bhavan, (Room No. 116),  
Maulana Azad Road,  
New Delhi-11.
14. Export Inspection Agency,  
Monohar Building,  
Mahatma Gandhi Road,  
Ernakulam-1.

## SCHEDULE II

1. Rubber and fabric conveyor and elevator belting.
2. Rubber transmission belting.

[No. 60(133)Exp.Insp/65.]

**S.O. 850.**—In pursuance of rule 7 of the Export of Rubber Belting (Inspection) Rules, 1966, the Central Government hereby appoints the persons mentioned in column (2) of the Table given below, as the panel of experts for the purpose of hearing appeals under the said rule against the decision of the Inspection Agencies carrying out inspection in the areas mentioned in the corresponding entry in column (1) thereof:

Provided that where a member of any of the said panel is personally interested in the subject matter of any appeal, he shall not take part in the proceedings relating to that appeal.

TABLE

Authority against whose decision appeal lies (1)	Persons constituting the panel of experts to which appeal lies. (2)
I. Inspection Agencies carrying out inspection in the areas covered by the States of Assam, West Bengal, Bihar, Orissa and Nagaland and the Union Territories of Manipur, Tripura and part B of Tribal areas in the State of Assam.	<ol style="list-style-type: none"> <li>1 Dr. M. L. Bhowmick, M/s. National Rubber Manufacturer's Ltd. Leslie House, 19, Chowringhee, Calcutta-13—<i>Chairman</i>.</li> <li>2 Shri K. R. Sengupta, M/s. S. G. R. Industries Pvt. Ltd., 10, The Mall, Calcutta-28.</li> <li>3 Shri A. Bose,<sup>2</sup> M/s. Bengal Waterproof Works (1940) Ltd., 32, Shakespeare Sarani, Calcutta-16.</li> <li>4 Shri S. C. Nandi, M/s. Bata Shoe Co., Pvt. Ltd., Batanagar, West Bengal.</li> <li>5 Shri R. C. Dasgupta, Dy. Director (Chemicals), National Test House, 11/1, Judge's Court Road, Calcutta. 27.</li> <li>6 Assistant Director (Chemicals) <i>Ex-officio</i> Export Inspection Council, 14/1-B, Ezra Street, Calcutta-1.</li> <li>7 Deputy Director (Chemicals), <i>Ex-officio</i> Export Inspection Council, 14/1-B, Ezra Street, Calcutta-1—<i>Convenor</i></li> </ol>

(1)

(2)

\* Inspection Agencies carrying out inspection in the areas covered by the States of Maharashtra, Gujarat & Madhya Pradesh and the Union Territory of Goa.

- 1 Shri P. D. Khemka,  
M/s. Cosmos India Rubber Works  
Pvt. Ltd.,  
Post Box No. 107,  
7, Homiji Street,  
Bombay-1—*Chairman*
- 2 Dr. K. N. Modak,  
Modak Rubber Works Pvt. Ltd.,  
Andheri Kurla Road,  
Bombay-59 A.S.†
- 3 Shri T. S. Simon,  
M/s. Diamond Rubber Works Pvt. Ltd.,  
276, Nagdevi Street,  
Bombay-3.†
- 4 Shri Manu M. Patel,  
Technical Service Laboratory of  
Synthetics & Chemicals Ltd.,  
Industry Manor,  
Off Prabhadevi Road,†  
Bombay-28.
- 5 Shri W.G. Desai,  
M/s. Indian Rubber Regenerating Co.  
Ltd.,  
Plot No. F 2, Industrial Estate,  
Thana, Maharashtra
- 6† Shri S. K. Bose,†  
Dy. Director (Chemicals),  
National Test House,  
Gautam Building, Zakeria BDR Road,  
Bombay-15.
- 7 Assistant Director (Chemicals),  
*Ex-officio*  
"Harchandrai House", 1st floor,  
81, Queens Road,  
Bombay-2.
- 8 Deputy Director,  
*Ex-officio*,  
Export Inspection Council,  
Bombay Regional Office,  
"Harchandrai House", 1st floor,  
81, Queens Road,  
Bombay-2 —*Convenor*

III. Inspection Agencies carrying out Inspection in the areas covered by the States of Uttar-Pradesh, Rajasthan, Punjab, Haryana and Jammu & Kashmir and the Union territories of Delhi, Chandigarh and Himachal Pradesh.

- 1 Dr. V. Ramakrishna,  
Head of the Department of Chemistry,  
Indian Institute of Technology,  
Delhi—*Chairman*
- 2 Shri P. P. Mukherjee,  
M/s. Bata Shoe Co. Pvt. Ltd.,  
Faridabad Branch Factory,  
Faridabad New Industrial Road,  
Haryana.
- 3 Dr. M. S. Muthana,  
Deputy Director,  
Indian Institute of Technology,  
P.O. I.I.T., Kanpur.
- 4 Dr. I. S. Gupta,  
Professor of Chemical Technology,  
Punjab University,  
Chandigarh.
- 5 Shri R. R. Purohit,  
Jt. Director of Industries (Chem.),  
Govt. of Rajasthan,  
Jaipur.

(1)

(2)

- 
- |   |          |  |
|---|----------|--|
| <p>IV. Inspection Agencies carrying out inspection in the areas covered by the States of Madras, Mysore, Andhra Pradesh and Kerala.</p> | <p>6</p> | <p>Deputy Director (Quality Control),<br/><i>Ex-officio</i><br/>Ministry of Commerce,<br/>Govt. of India,<br/>'Udyog Bhavan',<br/>New Delhi-II—<i>Convenor</i></p>   |
|   | <p>1</p> | <p>Mr. Kuruvilla Lukose,<br/>M/s. Madras Rubber Factory Ltd.,<br/>P.O. Box No. 3760, 1<br/>Madras-2—<i>Chairman</i></p>  |
|   | <p>2</p> | <p>Dr. D. Venkateswarlu,<br/>Department of Chemical Engineering,<br/>Indian Institute of Technology,<br/>Madras I.I.T., P.O.,<br/>Madras-36.</p>   |
|   | <p>3</p> | <p>The Dy. Director,—<i>Ex-officio</i><br/>(Export Promotion),<br/>Joint Chief Controller of Imports<br/>&amp; Exports, P. O. Box No. 1842,<br/>Madras-I.</p>  |
|   | <p>4</p> | <p>Dr. M. S. Patel—<i>Chairman</i>,<br/>Tobacco Export Promotion<br/>Council and Development Officer (T),<br/>The State Trading Corporation of India<br/>Ltd.,<br/>123 Mount Road,<br/>Madras-6—<i>Convenor</i>.</p> |
- 

2. The quorum of the panel shall be three.

[No. 60(133)Exp.Insp/65.]

A. C. BANERJEE, Jt. Secy.

